

## LED SUPERSTAR CLASSIC P 25 ADV 3.8 W/827 E14 FR

LED SUPERSTAR CLASSIC P advanced | Dimmable LED lamps, classic mini-ball shape



### Areas of application

- General illumination
- Domestic applications
- Outdoor use in outdoor luminaires only (minimum IP65)

### Product benefits

- Lower thermal output (compared with the standard reference product)
- Very low energy consumption
- Shockproof and vibration-proof thanks to LED technology
- Extremely long life
- No UV and near-IR radiation in the light beam
- Instant 100 % light, no warm-up time
- Simple direct replacement for conventional incandescent lamps

### Product features

- Professional LED lamps for line voltage
- Available with E14 or E27 screw base
- Dimmable (with many common dimmers, see also [www.osram.com/dim](http://www.osram.com/dim))
- Mercury-free lamps



## Technical data

### Electrical data

Rated luminous flux	250 lm
Rated wattage	4.00 W
Nominal wattage	4.00 W
Nominal voltage	220...240 V
Operating frequency	50...60 Hz
Power factor $\lambda$	0.60
Claimed equiv. conventional lamp power	25 W


### Photometrical data

Nominal luminous flux	250 lm
Color temperature	2700 K
Light color as per EN 12464-1	Warm White
Standard deviation of color matching	$\leq 6$ sdcn

### Light technical data

Warm-up time (60 %)	0.10 s
Starting time	0.1 s

### Dimensions & weight



Overall length	80.0 mm
Diameter	45.0 mm
Outer bulb	P79
Length	80.0 mm

### Lifespan

Nominal lamp life time	25000 h
------------------------	---------

## Product datasheet

Rated lamp life time	25000 h
Number of switching cycles	100000
Lumen main.fact.at end of nom.life time	0.70
Lumen maintenance at end of service life	0.70

### Additional product data

Base (standard designation)	E14
Lamp mercury content	0.0 mg
Mercury-free	Yes
New article	NEW
Design / version	Frosted
Appropriate disposal acc. to WEEE	Yes
Product remark	All technical parameters apply to the entire lamp/Due to the complex production process for light-emitting diodes, the typical values shown for the technical LED parameters are purely statistical values that do not necessarily match the actual technical parameters of each individual product, which can vary from the typical value

### Capabilities

Dimmable	Yes <sup>1)</sup>
----------	-------------------

<sup>1)</sup> With many common dimmers


### Certificates & standards

Energy efficiency class	A+
Energy consumption	4 kWh/1000h

### Country specific categorizations

ILCOS	DRBP/F-3,8-220-240-E14-42,8/82
Order reference	SSTCLP25 4W/827

Light Distribution



Spectral power distribution

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899911406	LED SUPERSTAR CLASSIC P 25 ADV 3.8 W/827 E14 FR	Shipping carton box 6	274 mm x 72 mm x 126 mm	2.49 dm <sup>3</sup>	400.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

References / Links

For further products and actual information concerning LED lamps see

▶ [www.osram.com/ledlamps](http://www.osram.com/ledlamps)

For Guarantee see

▶ [www.osram.com/guarantee](http://www.osram.com/guarantee)

For dimming conformity see

▶ [www.osram.com/DIM](http://www.osram.com/DIM)

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.